

**Table 4.2**  
**Deaths Attributable to Alcohol by Diagnosis**  
**Maine, 2015**

Diagnosis	ICD-10-CM Diagnostic codes	Alcohol Attributable Fraction	Age (Years)	total deaths
<b>Direct Causes</b>				
Excessive blood levels of alcohol	F10.0	1	<u>&gt;15</u>	0
Alcohol abuse	F10.1	1	<u>&gt;15</u>	13
Alcohol dependence syndrome	F10.2	1	<u>&gt;15</u>	43
Other mental and behavioral problems due to alcohol	F10.3-.9	1	<u>&gt;15</u>	7
Alcoholic cardiomyopathy	I42.6	1	<u>&gt;15</u>	3
Alcoholic fatty liver	K70.0	1	<u>&gt;15</u>	0
Acute alcoholic hepatitis	K70.1	1	<u>&gt;15</u>	7
Alcoholic cirrhosis	K70.3	1	<u>&gt;15</u>	71
Alcoholic hepatic failure	K70.4	1	<u>&gt;15</u>	12
Alcoholic liver damage	K70.9	1	<u>&gt;15</u>	13
<b>Indirect Causes</b>				
Respiratory tuberculosis	A15,A16	0.25	<u>&gt;35</u>	0
Malignant neoplasm of the oral cavity	C00-C14	0.5	<u>&gt;35</u>	56
Malignant neoplasm of the esophagus	C15	0.75	<u>&gt;35</u>	106
Malignant neoplasm of the stomach	C16	0.2	<u>&gt;35</u>	44
Malignant neoplasm of the liver	C22	0.15	<u>&gt;35</u>	52
Malignant neoplasm of the larynx <sup>7</sup>	C32	0.5	<u>&gt;35</u>	26
Diabetes mellitus	E10-E14	0.05	<u>&gt;35</u>	403
Cerebrovascular disease	G45, I60-I69	0.07	<u>&gt;35</u>	615
Essential hypertension	I10	0.08	<u>&gt;35</u>	64
Pneumonia and influenza	J10-J18	0.05	<u>&gt;35</u>	326
Diseases of the stomach, esophagus, duodenum	K20-K31 (excl. K0.1		<u>&gt;35</u>	39
Cirrhosis of liver, w/o mention of alcohol	K74.3-K74.6	0.5	<u>&gt;35</u>	91
Portal hypertension	K76.6	0.5	<u>&gt;35</u>	0
Acute pancreatitis	K85	0.42	<u>&gt;35</u>	15
<b>Unintentional Injuries</b>				
Accidental drowning & submersions	W65-W74	0.38	<u>&gt;0</u>	29
Accidental falls	W00-W19	0.35	<u>&gt;15</u>	197
Accidents caused by fire & flames	X00-X09	0.45	<u>&gt;0</u>	14
Air and space transport accidents	V95-V97	0.16	<u>&gt;0</u>	0
Other injuries and adverse effects	<a href="#">ftn2</a>	0.25	<u>&gt;15</u>	23
Motor vehicle accidents	<a href="#">ftn3</a>	0.42	<u>&gt;0</u>	150
Pedal cycle & other road vehicle accidents	<a href="#">ftn4</a>	0.2	<u>&gt;0</u>	25

Water transport accidents	V90-V94	0.2	<u>≥0</u>	2
<b>Intentional Injuries</b>				
Suicide	X60-X84.9,Y87.0	0.28	<u>≥15</u>	234
Homicide	X85-Y09,Y87.1	0.46	<u>≥15</u>	22
<b>Total</b>				<b>2702</b>

---

[ftnref1](#)

[ftnref2](#)

[ftnref3](#)

[ftnref4](#)

Data Source: Maine Department of Health and Human Services, Office of Data, Research and Vital Statistics, 4/ International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM)

**and Gender**

Male		Female		
Deaths	Alcohol Related Deaths	Deaths	Alcohol Related Deaths	Alcohol Related Deaths
0	0	0	0	0
11	11	2	2	13
34	34	9	9	43
7	7	0	0	7
2	2	1	1	3
0	0	0	0	0
7	7	0	0	7
56	56	15	15	71
8	8	7	7	15
10	10	3	3	13
0	0	0	0	0
33	17	23	12	28
89	67	17	13	80
23	5	21	4	9
45	7	7	1	8
19	10	7	4	13
222	11	181	9	20
229	16	386	27	43
27	2	37	3	5
136	7	190	10	16
20	2	19	2	4
48	24	43	22	46
0	0	0	0	0
7	3	8	3	6
			0	0
20	8	9	3	11
98	34	99	35	69
13	6	1	0	6
0	0	0	0	0
14	4	9	2	6
99	42	51	21	63
18	4	7	1	5

2	<b>0</b>	0	<b>0</b>	<b>0</b>
	<b>0</b>		<b>0</b>	<b>0</b>
186	<b>52</b>	48	<b>13</b>	<b>66</b>
15	<b>7</b>	7	<b>3</b>	<b>10</b>
1498	<b>460</b>	1207	<b>226</b>	<b>685</b>

/26/2022

**Table 4.2**  
**Deaths Attributable to Alcohol by Diagnosis and Gender**  
**Maine, 2016**

Diagnosis	ICD-10-CM Diagnostic codes	Alcohol Attributable Fraction	Age (Years)	total deaths	Male		Female
					Deaths	Alcohol Related Deaths	Deaths
<b>Direct Causes</b>							
Excessive blood levels of F10.0		1	<u>≥15</u>	0	0	<b>0</b>	0
Alcohol abuse	F10.1	1	<u>≥15</u>	11	8	<b>8</b>	3
Alcohol dependence syndrome	F10.2	1	<u>≥15</u>	47	34	<b>34</b>	13
Other mental and behavioral disorders	F10.3-.9	1	<u>≥15</u>	3	3	<b>3</b>	0
Alcoholic cardiomyopathy	I42.6	1	<u>≥15</u>	5	5	<b>5</b>	0
Alcoholic fatty liver	K70.0	1	<u>≥15</u>	0	0	<b>0</b>	0
Acute alcoholic hepatitis	K70.1	1	<u>≥15</u>	12	8	<b>8</b>	4
Alcoholic cirrhosis	K70.3	1	<u>≥15</u>	73	45	<b>45</b>	28
Alcoholic hepatic failure	K70.4	1	<u>≥15</u>	4	3	<b>3</b>	1
Alcoholic liver damage	K70.9	1	<u>≥15</u>	19	12	<b>12</b>	7
<b>Indirect Causes</b>							
Respiratory tuberculosis	A15,A16	0.25	<u>≥35</u>	0	0	<b>0</b>	0
<a href="#">ftn1</a>	C00-C14	0.5	<u>≥35</u>	64	44	<b>22</b>	20
Malignant neoplasm of the	C15	0.75	<u>≥35</u>	108	84	<b>63</b>	24
Malignant neoplasm of the	C16	0.2	<u>≥35</u>	44	26	<b>5.2</b>	18
Malignant neoplasm of the	C22	0.15	<u>≥35</u>	38	33	<b>4.95</b>	5
Malignant neoplasm of the	C32	0.5	<u>≥35</u>	28	24	<b>12</b>	4
Diabetes mellitus	E10-E14	0.05	<u>≥35</u>	460	263	<b>13.15</b>	197
Cerebrovascular disease	G45, I60-I69	0.07	<u>≥35</u>	664	262	<b>18.34</b>	402
Essential hypertension	I10	0.08	<u>≥35</u>	70	31	<b>2.48</b>	39
Pneumonia and influenza	J10-J18	0.05	<u>≥35</u>	227	115	<b>5.75</b>	112
Diseases of the stomach, esophagus and duodenum	K20-K31 (excl. K0.1)		<u>≥35</u>	35	21	<b>2.1</b>	14
Cirrhosis of liver, without mention of alcohol	K74.3-K74.6	0.5	<u>≥35</u>	78	45	<b>22.5</b>	33
Portal hypertension	K76.6	0.5	<u>≥35</u>	0	0	<b>0</b>	0
Acute pancreatitis	K85	0.42	<u>≥35</u>	18	13	<b>5.46</b>	5
<b>Unintentional Injuries</b>							
Accidental drowning & submersion	W65-W74	0.38	<u>≥0</u>	19	18	<b>6.84</b>	1
Accidental falls	W00-W19	0.35	<u>≥15</u>	227	98	<b>34.3</b>	129
Accidents caused by fire & hot surfaces	X00-X09	0.45	<u>≥0</u>	13	10	<b>4.5</b>	3
Air and space transport accidents	V95-V97	0.16	<u>≥0</u>	0	0	<b>0</b>	0
Other injuries and adverse effects	<a href="#">ftn2</a>	0.25	<u>≥15</u>	19	14	<b>3.5</b>	5
Motor vehicle accidents	<a href="#">ftn3</a>	0.42	<u>≥0</u>	175	122	<b>51.24</b>	53
Pedal cycle & other road vehicles	<a href="#">ftn4</a>	0.2	<u>≥0</u>	54	36	<b>7.2</b>	18
Water transport accidents	V90-V94	0.2	<u>≥0</u>	3	3	<b>0.6</b>	0

<b>Intentional Injuries</b>					<b>0</b>	
Suicide	X60-X84.9,Y87.(0.28	<u>&gt;15</u>	226	172	<b>48.16</b>	54
Homicide	X85-Y09,Y87.1 0.46	<u>&gt;15</u>	19	15	<b>6.9</b>	4
<b>Total</b>			2,763	1,567	<b>458.17</b>	1,196

---

[ftnref1](#)

[ftnref2](#)

[ftnref3](#)

[ftnref4](#)

Data Source: Maine Department of Health and Human Services, Office of Data, Research and Vital Statistics, 4/  
International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM)

Male	Female
Alcohol Related Deaths	Alcohol Related Deaths

0	0
3	11
13	47
0	3
0	5
0	0
4	12
28	73
1	4
7	19
0	0
10	32
18	81
3.6	8.8
0.75	5.7
2	14
9.85	23
28.14	46.48
3.12	5.6
5.6	11.35
1.4	3.5
16.5	39
0	0
2.1	7.56
0	0
0.38	7.22
45.15	79.45
1.35	5.85
0	0
1.25	4.75
22.26	73.5
3.6	10.8
0	0.6

0	0
15.12	63.28
1.84	8.74
<b>248.01</b>	<b>706.18</b>

26/2022



**Table 4.2**  
**Deaths Attributable to Alcohol by Diagnosis and Gender**  
**Maine, 2017**

Diagnosis	ICD-10-CM Diagnostic codes	Alcohol Attributable Fraction	Age (Years)	total deaths	Male		Female
					Deaths	Alcohol Related Deaths	Deaths
<b>Direct Causes</b>							
Excessive blood levels of	F10.0	1	<u>≥15</u>	0	0	<b>0</b>	0
Alcohol abuse	F10.1	1	<u>≥15</u>	12	10	<b>10</b>	2
Alcohol dependence syndr	F10.2	1	<u>≥15</u>	35	27	<b>27</b>	8
Other mental and behavior	F10.3-.9	1	<u>≥15</u>	12	9	<b>9</b>	3
Alcoholic cardiomyopathy	I42.6	1	<u>≥15</u>	3	1	<b>1</b>	2
Alcoholic fatty liver	K70.0	1	<u>≥15</u>	4	1	<b>1</b>	3
Acute alcoholic hepatitis	K70.1	1	<u>≥15</u>	7	4	<b>4</b>	3
Alcoholic cirrhosis	K70.3	1	<u>≥15</u>	74	49	<b>49</b>	25
Alcoholic hepatic failure	K70.4	1	<u>≥15</u>	11	4	<b>4</b>	7
Alcoholic liver damage	K70.9	1	<u>≥15</u>	13	9	<b>9</b>	4
<b>Indirect Causes</b>							
Respiratory tuberculosis	A15,A16	0.25	<u>≥35</u>	1	0	<b>0</b>	1
<a href="#">ftn1</a>	C00-C14	0.5	<u>≥35</u>	47	35	<b>17.5</b>	12
Malignant neoplasm of the	C15	0.75	<u>≥35</u>	110	90	<b>67.5</b>	20
Malignant neoplasm of the	C16	0.2	<u>≥35</u>	30	20	<b>4</b>	10
Malignant neoplasm of the	C22	0.15	<u>≥35</u>	56	45	<b>6.75</b>	11
Malignant neoplasm of the	C32	0.5	<u>≥35</u>	24	19	<b>9.5</b>	5
Diabetes mellitus	E10-E14	0.05	<u>≥35</u>	393	230	<b>11.5</b>	163
Cerebrovascular disease	G45, I60-I69	0.07	<u>≥35</u>	737	265	<b>18.55</b>	472
Essential hypertension	I10	0.08	<u>≥35</u>	87	37	<b>2.96</b>	50
Pneumonia and influenza	J10-J18	0.05	<u>≥35</u>	299	133	<b>6.65</b>	166
Diseases of the stomach, e	K20-K31 (excl. K0.1		<u>≥35</u>	47	14	<b>1.4</b>	33
Cirrhosis of liver, w/o met	K74.3-K74.6	0.5	<u>≥35</u>	85	54	<b>27</b>	31
Portal hypertension	K76.6	0.5	<u>≥35</u>	1	1	<b>0.5</b>	0
Acute pancreatitis	K85	0.42	<u>≥35</u>	13	8	<b>3.36</b>	5
<b>Unintentional Injuries</b>							
Accidental drowning & su	W65-W74	0.38	<u>≥0</u>	6	3	<b>1.14</b>	3
Accidental falls	W00-W19	0.35	<u>≥15</u>	244	122	<b>42.7</b>	122
Accidents caused by fire &	X00-X09	0.45	<u>≥0</u>	7	4	<b>1.8</b>	3
Air and space transport ac	V95-V97	0.16	<u>≥0</u>	0	0	<b>0</b>	0
Other injuries and adverse	<a href="#">ftn2</a>	0.25	<u>≥15</u>	33	17	<b>4.25</b>	16
Motor vehicle accidents	<a href="#">ftn3</a>	0.42	<u>≥0</u>	190	129	<b>54.18</b>	61
Pedal cycle & other road v	<a href="#">ftn4</a>	0.2	<u>≥0</u>	35	24	<b>4.8</b>	11
Water transport accidents	V90-V94	0.2	<u>≥0</u>	13	11	<b>2.2</b>	2

<b>Intentional Injuries</b>					<b>0</b>	
Suicide	X60-X84.9,Y87.(0.28	<u>&gt;15</u>	274	216	<b>60.48</b>	58
Homicide	X85-Y09,Y87.1 0.46	<u>&gt;15</u>	19	13	<b>5.98</b>	6
<b>Total</b>			2,922	1,604	<b>468.7</b>	1,318

---

[ftnref1](#)

[ftnref2](#)

[ftnref3](#)

[ftnref4](#)

Data Source: Maine Department of Health and Human Services, Office of Data, Research and Vital Statistics, 4/  
International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM)

Male	Alcohol Related Deaths	Alcohol Related Deaths
------	------------------------	------------------------

0	0
2	12
8	35
3	12
2	3
3	4
3	7
25	74
7	11
4	13
0.25	0.25
6	23.5
15	82.5
2	6
1.65	8.4
2.5	12
8.15	19.65
33.04	51.59
4	6.96
8.3	14.95
3.3	4.7
15.5	42.5
0	0.5
2.1	5.46
0	0
1.14	2.28
42.7	85.4
1.35	3.15
0	0
4	8.25
25.62	79.8
2.2	7
0.4	2.6

0	0
16.24	76.72
2.76	8.74
<u>255.2</u>	<u>723.9</u>

26/2022

**Table 4.2**  
**Deaths Attributable to Alcohol by Diagnosis and Gender**  
**Maine, 2018**

Diagnosis	ICD-10-CM Diagnostic codes	Alcohol Attributable Fraction	Age (Years)	total deaths	Male		Fem
					Deaths	Alcohol Related Deaths	Deaths
<b>Direct Causes</b>							
Excessive blood levels of	F10.0	1	<u>≥15</u>	0	0	<b>0</b>	0
Alcohol abuse	F10.1	1	<u>≥15</u>	8	8	<b>8</b>	0
Alcohol dependence syndr	F10.2	1	<u>≥15</u>	50	33	<b>33</b>	17
Other mental and behavior	F10.3-.9	1	<u>≥15</u>	5	4	<b>4</b>	1
Alcoholic cardiomyopathy	I42.6	1	<u>≥15</u>	2	1	<b>1</b>	1
Alcoholic fatty liver	K70.0	1	<u>≥15</u>	1	1	<b>1</b>	0
Acute alcoholic hepatitis	K70.1	1	<u>≥15</u>	6	3	<b>3</b>	3
Alcoholic cirrhosis	K70.3	1	<u>≥15</u>	83	60	<b>60</b>	23
Alcoholic hepatic failure	K70.4	1	<u>≥15</u>	15	11	<b>11</b>	4
Alcoholic liver damage	K70.9	1	<u>≥15</u>	8	6	<b>6</b>	2
<b>Indirect Causes</b>							
Respiratory tuberculosis	A15,A16	0.25	<u>≥35</u>	0	0	<b>0</b>	0
<a href="#">ftn1</a>	C00-C14	0.5	<u>≥35</u>	58	40	<b>20</b>	18
Malignant neoplasm of the	C15	0.75	<u>≥35</u>	96	69	<b>51.75</b>	27
Malignant neoplasm of the	C16	0.2	<u>≥35</u>	38	21	<b>4.2</b>	17
Malignant neoplasm of the	C22	0.15	<u>≥35</u>	56	48	<b>7.2</b>	8
Malignant neoplasm of the	C32	0.5	<u>≥35</u>	14	11	<b>5.5</b>	3
Diabetes mellitus	E10-E14	0.05	<u>≥35</u>	479	271	<b>13.55</b>	208
Cerebrovascular disease	G45, I60-I69	0.07	<u>≥35</u>	691	275	<b>19.25</b>	416
Essential hypertension	I10	0.08	<u>≥35</u>	82	43	<b>3.44</b>	39
Pneumonia and influenza	J10-J18	0.05	<u>≥35</u>	307	166	<b>8.3</b>	141
Diseases of the stomach, e	K20-K31 (excl. K0.1		<u>≥35</u>	46	22	<b>2.2</b>	24
Cirrhosis of liver, w/o met	K74.3-K74.6	0.5	<u>≥35</u>	84	50	<b>25</b>	34
Portal hypertension	K76.6	0.5	<u>≥35</u>	1	1	<b>0.5</b>	0
Acute pancreatitis	K85	0.42	<u>≥35</u>	6	4	<b>1.68</b>	2
<b>Unintentional Injuries</b>							
Accidental drowning & su	W65-W74	0.38	<u>≥0</u>	15	13	<b>4.94</b>	2
Accidental falls	W00-W19	0.35	<u>≥15</u>	388	176	<b>61.6</b>	212
Accidents caused by fire &	X00-X09	0.45	<u>≥0</u>	17	12	<b>5.4</b>	5
Air and space transport ac	V95-V97	0.16	<u>≥0</u>	0	0	<b>0</b>	0
Other injuries and adverse	<a href="#">ftn2</a>	0.25	<u>≥15</u>	19	13	<b>3.25</b>	6
Motor vehicle accidents	<a href="#">ftn3</a>	0.42	<u>≥0</u>	157	110	<b>46.2</b>	47
Pedal cycle & other road v	<a href="#">ftn4</a>	0.2	<u>≥0</u>	72	43	<b>8.6</b>	29
Water transport accidents	V90-V94	0.2	<u>≥0</u>	3	0	<b>0</b>	3

<b>Intentional Injuries</b>					<b>0</b>	
Suicide	X60-X84.9,Y87.(0.28	<u>&gt;15</u>	269	217	<b>60.76</b>	52
Homicide	X85-Y09,Y87.1 0.46	<u>&gt;15</u>	19	7	<b>3.22</b>	12
<b>Total</b>			3,095	1,739	<b>483.54</b>	1,356

---

[ftnref1](#)

[ftnref2](#)

[ftnref3](#)

[ftnref4](#)

Data Source: Maine Department of Health and Human Services, Office of Data, Research and Vital Statistics, 4/  
International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM)

Male	Alcohol Related Deaths	Alcohol Related Deaths
------	------------------------------	------------------------------

0	0
0	8
17	50
1	5
1	2
0	1
3	6
23	83
4	15
2	8
0	0
9	29
20.25	72
3.4	7.6
1.2	8.4
1.5	7
10.4	23.95
29.12	48.37
3.12	6.56
7.05	15.35
2.4	4.6
17	42
0	0.5
0.84	2.52
0	0
0.76	5.7
74.2	135.8
2.25	7.65
0	0
1.5	4.75
19.74	65.94
5.8	14.4
0.6	0.6

0	0
14.56	75.32
5.52	8.74
<u>281.21</u>	<u>764.75</u>

26/2022



**Table 4.2**  
**Deaths Attributable to Alcohol by Diagnosis and Gender**  
**Maine, 2019**

Diagnosis	ICD-10-CM Diagnostic codes	Alcohol Attributable Fraction	Age (Years)	total deaths	Male		Female
					Deaths	Alcohol Related Deaths	Deaths
<b>Direct Causes</b>							
Excessive blood levels of	F10.0	1	<u>&gt;15</u>	0	0	<b>0</b>	0
Alcohol abuse	F10.1	1	<u>&gt;15</u>	3	1	<b>1</b>	2
Alcohol dependence syndr	F10.2	1	<u>&gt;15</u>	39	29	<b>29</b>	10
Other mental and behavior	F10.3-.9	1	<u>&gt;15</u>	4	3	<b>3</b>	1
Alcoholic cardiomyopathy	I42.6	1	<u>&gt;15</u>	6	6	<b>6</b>	0
Alcoholic fatty liver	K70.0	1	<u>&gt;15</u>	3	3	<b>3</b>	0
Acute alcoholic hepatitis	K70.1	1	<u>&gt;15</u>	7	3	<b>3</b>	4
Alcoholic cirrhosis	K70.3	1	<u>&gt;15</u>	86	50	<b>50</b>	36
Alcoholic hepatic failure	K70.4	1	<u>&gt;15</u>	15	11	<b>11</b>	4
Alcoholic liver damage	K70.9	1	<u>&gt;15</u>	8	5	<b>5</b>	3
<b>Indirect Causes</b>							
Respiratory tuberculosis	A15,A16	0.25	<u>&gt;35</u>	0	0	<b>0</b>	0
<a href="#">ftn1</a>	C00-C14	0.5	<u>&gt;35</u>	64	43	<b>21.5</b>	21
Malignant neoplasm of the	C15	0.75	<u>&gt;35</u>	140	113	<b>84.75</b>	27
Malignant neoplasm of the	C16	0.2	<u>&gt;35</u>	47	29	<b>5.8</b>	18
Malignant neoplasm of the	C22	0.15	<u>&gt;35</u>	46	37	<b>5.55</b>	9
Malignant neoplasm of the	C32	0.5	<u>&gt;35</u>	14	11	<b>5.5</b>	3
Diabetes mellitus	E10-E14	0.05	<u>&gt;35</u>	474	269	<b>13.45</b>	205
Cerebrovascular disease	G45, I60-I69	0.07	<u>&gt;35</u>	644	277	<b>19.39</b>	367
Essential hypertension	I10	0.08	<u>&gt;35</u>	76	42	<b>3.36</b>	34
Pneumonia and influenza	J10-J18	0.05	<u>&gt;35</u>	299	154	<b>7.7</b>	145
Diseases of the stomach, e	K20-K31 (excl. K0.1		<u>&gt;35</u>	42	19	<b>1.9</b>	23
Cirrhosis of liver, w/o met	K74.3-K74.6	0.5	<u>&gt;35</u>	78	42	<b>21</b>	36
Portal hypertension	K76.6	0.5	<u>&gt;35</u>	1	0	<b>0</b>	1
Acute pancreatitis	K85	0.42	<u>&gt;35</u>	18	10	<b>4.2</b>	8
<b>Unintentional Injuries</b>							
Accidental drowning & su	W65-W74	0.38	<u>&gt;0</u>	22	17	<b>6.46</b>	5
Accidental falls	W00-W19	0.35	<u>&gt;15</u>	370	177	<b>61.95</b>	193
Accidents caused by fire &	X00-X09	0.45	<u>&gt;0</u>	20	13	<b>5.85</b>	7
Air and space transport ac	V95-V97	0.16	<u>&gt;0</u>	1	1	<b>0.16</b>	0
Other injuries and adverse	<a href="#">ftn2</a>	0.25	<u>&gt;15</u>	26	18	<b>4.5</b>	8
Motor vehicle accidents	<a href="#">ftn3</a>	0.42	<u>&gt;0</u>	171	120	<b>50.4</b>	51
Pedal cycle & other road v	<a href="#">ftn4</a>	0.2	<u>&gt;0</u>	58	37	<b>7.4</b>	21
Water transport accidents	V90-V94	0.2	<u>&gt;0</u>	2	2	<b>0.4</b>	0

<b>Intentional Injuries</b>					<b>0</b>	
Suicide	X60-X84.9,Y87.(0.28	<u>&gt;15</u>	276	226	<b>63.28</b>	50
Homicide	X85-Y09,Y87.1 0.46	<u>&gt;15</u>	24	12	<b>5.52</b>	12
<b>Total</b>			3,084	1,780	<b>511.02</b>	1,304

---

[ftnref1](#)

[ftnref2](#)

[ftnref3](#)

[ftnref4](#)

Data Source: Maine Department of Health and Human Services, Office of Data, Research and Vital Statistics, 4/  
International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM)

Male	Female
Alcohol Related Deaths	Alcohol Related Deaths

0	0
2	3
10	39
1	4
0	6
0	3
4	7
36	86
4	15
3	8
0	0
10.5	32
20.25	105
3.6	9.4
1.35	6.9
1.5	7
10.25	23.7
25.69	45.08
2.72	6.08
7.25	14.95
2.3	4.2
18	39
0.5	0.5
3.36	7.56
0	0
1.9	8.36
67.55	129.5
3.15	9
0	0.16
2	6.5
21.42	71.82
4.2	11.6
0	0.4

0	0
14	77.28
5.52	11.04
<b>287.01</b>	<b>798.03</b>

26/2022

**Table 4.2**  
**Deaths Attributable to Alcohol by Diagnosis and Gender**  
**Maine, 2020**

Diagnosis	ICD-10-CM Diagnostic codes	Alcohol Attributable Fraction	Age (Years)	total deaths	Male		Fem
					Deaths	Alcohol Related Deaths	Deaths
<b>Direct Causes</b>							
Excessive blood levels of	F10.0	1	<u>≥15</u>	0	0	<b>0</b>	0
Alcohol abuse	F10.1	1	<u>≥15</u>	4	2	<b>2</b>	2
Alcohol dependence syndr	F10.2	1	<u>≥15</u>	67	47	<b>47</b>	20
Other mental and behavior	F10.3-.9	1	<u>≥15</u>	5	3	<b>3</b>	2
Alcoholic cardiomyopathy	I42.6	1	<u>≥15</u>	4	4	<b>4</b>	0
Alcoholic fatty liver	K70.0	1	<u>≥15</u>	1	1	<b>1</b>	0
Acute alcoholic hepatitis	K70.1	1	<u>≥15</u>	12	7	<b>7</b>	5
Alcoholic cirrhosis	K70.3	1	<u>≥15</u>	134	93	<b>93</b>	41
Alcoholic hepatic failure	K70.4	1	<u>≥15</u>	11	6	<b>6</b>	5
Alcoholic liver damage	K70.9	1	<u>≥15</u>	11	8	<b>8</b>	3
<b>Indirect Causes</b>							
Respiratory tuberculosis	A15,A16	0.25	<u>≥35</u>	1	1	<b>0.25</b>	0
<a href="#">ftn1</a>	C00-C14	0.5	<u>≥35</u>	65	50	<b>25</b>	15
Malignant neoplasm of the	C15	0.75	<u>≥35</u>	110	88	<b>66</b>	22
Malignant neoplasm of the	C16	0.2	<u>≥35</u>	55	44	<b>8.8</b>	11
Malignant neoplasm of the	C22	0.15	<u>≥35</u>	40	36	<b>5.4</b>	4
Malignant neoplasm of the	C32	0.5	<u>≥35</u>	25	20	<b>10</b>	5
Diabetes mellitus	E10-E14	0.05	<u>≥35</u>	497	310	<b>15.5</b>	187
Cerebrovascular disease	G45, I60-I69	0.07	<u>≥35</u>	695	273	<b>19.11</b>	422
Essential hypertension	I10	0.08	<u>≥35</u>	89	47	<b>3.76</b>	42
Pneumonia and influenza	J10-J18	0.05	<u>≥35</u>	234	135	<b>6.75</b>	99
Diseases of the stomach, e	K20-K31 (excl. K0.1		<u>≥35</u>	62	30	<b>3</b>	32
Cirrhosis of liver, w/o me	K74.3-K74.6	0.5	<u>≥35</u>	76	51	<b>25.5</b>	25
Portal hypertension	K76.6	0.5	<u>≥35</u>	3	3	<b>1.5</b>	0
Acute pancreatitis	K85	0.42	<u>≥35</u>	20	11	<b>4.62</b>	9
<b>Unintentional Injuries</b>							
Accidental drowning & su	W65-W74	0.38	<u>≥0</u>	19	16	<b>6.08</b>	3
Accidental falls	W00-W19	0.35	<u>≥15</u>	361	148	<b>51.8</b>	213
Accidents caused by fire &	X00-X09	0.45	<u>≥0</u>	10	7	<b>3.15</b>	3
Air and space transport ac	V95-V97	0.16	<u>≥0</u>	0	0	<b>0</b>	0
Other injuries and adverse	<a href="#">ftn2</a>	0.25	<u>≥15</u>	37	22	<b>5.5</b>	15
Motor vehicle accidents	<a href="#">ftn3</a>	0.42	<u>≥0</u>	189	142	<b>59.64</b>	47
Pedal cycle & other road	<a href="#">ftn4</a>	0.2	<u>≥0</u>	23	19	<b>3.8</b>	4

Water transport accidents V90-V94	0.2	<u>≥0</u>	5	4	<b>0.8</b>	1
<b>Intentional Injuries</b>					<b>0</b>	
Suicide	X60-X84.9,Y87.0 0.28	<u>≥15</u>	234	193	<b>54.04</b>	41
Homicide	X85-Y09,Y87.1 0.46	<u>≥15</u>	21	16	<b>7.36</b>	5
<b>Total</b>			3,120	1,837	<b>558.36</b>	1,283

---

[ftnref1](#)

[ftnref2](#)

[ftnref3](#)

[ftnref4](#)

Data Source: Maine Department of Health and Human Services, Office of Data, Research and Vital Statistics, 4/  
International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM)

Male	Alcohol Related Deaths	Alcohol Related Deaths
------	------------------------------	------------------------------

0	0
2	4
20	67
2	5
0	4
0	1
5	12
41	134
5	11
3	11
0	0.25
7.5	32.5
16.5	82.5
2.2	11
0.6	6
2.5	12.5
9.35	24.85
29.54	48.65
3.36	7.12
4.95	11.7
3.2	6.2
12.5	38
0	1.5
3.78	8.4
0	0
1.14	7.22
74.55	126.35
1.35	4.5
0	0
3.75	9.25
19.74	79.38
0.8	4.6

0.2	1
0	0
11.48	65.52
2.3	9.66
<b>289.29</b>	<b>847.65</b>

26/2022